



Customer Service: [1-888-GO-BETCO](tel:1-888-GO-BETCO)
8AM - 5PM ET, Monday - Friday

Equipment Tech Support [1-877-856-5954](tel:1-877-856-5954)
8AM - 4:30PM ET, Monday - Friday

Pine Quat Disinfectant



Pine Cleaner, Disinfectant, and Deodorant

Kills SARS-CoV-2 virus on hard non-porous surfaces in one minute.

This neutral pH disinfectant, cleans and deodorizes without leaving a film or dulling surfaces.

[Click Here to Request List N Product Information](#)

Features

Simple to Use – Cleans, deodorizes and disinfects in one easy operation.

Neutral pH – No harsh alkali to attack floor finish.

Lasting fragrance - leaves a pleasant pine fragrance.

Available In

4 - 1 Gal. Bottles Item #30404-00

55 Gal. Drum Item #30455-00

6 - 32 oz. Bottles Item #30470-00

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DILUTION:

(1:32) - 4 ounces per gallon of water

(660 ppm quat) - 8 ounces per 2 gallons of water

DISINFECTION / CLEANING / DEODORIZING

DIRECTIONS: Remove heavy soil deposits from surface, then thoroughly wet surface with a use-solution of 4 ounces of the concentrate per gallon of water. Apply with a cloth, mop, sponge, or coarse spray or by soaking. For sprayer applications, use a coarse spray device. Spray 6 – 8 inches from the surface; rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes. Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS / URINALS: Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying diluted solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove heavy soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush.

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors and table tops. Apply use-solution of 4 ounces per gallon of water with a cloth, mop, sponge or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood / body fluids, and in which the surfaces / objects likely to be soiled with blood / body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type I (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV OF SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS: **Personal Protection:** Disposable protective gloves, gowns, face masks or eye coverings, as appropriate, must be worn during all cleaning of blood / body fluids and during decontamination procedures. **Cleaning Procedures:** Blood / body fluids must be thoroughly cleaned

from surfaces / objects before application of disinfectant.

Contact Time: HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) (room temperature). HBV and HCV are inactivated after a 10 minute contact time. Use a 10-minute contact time for all other viruses, fungi and bacteria listed. **Disposal of Infectious Materials:** Blood / body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

FARM PREMISE, LIVESTOCK, POULTRY & TURKEY HOUSE DISINFECTANT (DILUTION: 1:32; 4 ounces per gallon of water): (1) Remove all animals and feeds from premises, trucks, coops, crates and enclosures. (2) Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, vehicles, and other facilities and fixtures occupied or traversed by animals. (3) Empty all troughs, racks, and other feeding and watering appliances. (4) Thoroughly clean all surfaces with soap or detergent, then rinse with water. (5) Saturate all surfaces with the disinfecting solution for a period of 10 minutes. (6) Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure. (7) Ventilate buildings, coops, cars, trucks, boats and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. (8) After treatment with disinfectant, thoroughly scrub feed racks, troughs, automatic feeders, fountains and waterers with soap or detergent, then rinse with potable water before reuse.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS

DISINFECTION DIRECTIONS: For cleaning and disinfecting the following hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 4 oz. of this product per gallon of water (or equivalent dilution) for a period of 10 minutes. Wipe or allow to air dry. Immerse all animal handling and restraining equipment as well as forks, shovels, and scrapers used to remove litter and manure. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

Tech Specs

Color	Green
Detergency	Excellent
Foaming	Moderate
Fragrance	Pine
pH	Neutral
Warranty	1 year
EPA Reg. No.	47371-192-4170